

NewPassleader

NewPassLeader

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Select a vendor...

Select an test...

Your email address

Free Download Demo

Try **PDF Demo** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

What Client's Say

“ I purchased the exam questions which were not up to par so that I failed once. Now the second time, I make the right choice to purchase newpassleader 120-968 files, I pass. Thanks very much. I will buy more ”



Gloria
★★★★★

“ The 400-151 Dumps are very helpful, I attend the exam and passed in my first shot. ”



Juliet
★★★★★

<http://www.newpassleader.com/>

Attentive Service Exam Torrent and Valid Dumps - NewPassLeader

Exam : **TB0-123**

Title : TIBCO ActiveMatrix
BusinessWorks 5 Certification
Exam

Vendor : Tibco

Version : DEMO

NO.1 What are two places the domain properties can be found? (Choose two.)

- A. TIBCO_HOME/domain
- B. TIBCO_HOME/administrator/domain
- C. TIBCO_HOME/repository
- D. TIBCO_HOME/designer/domain
- E. TIBCO_HOME/tra/domain

Answer: B,E

NO.2 The Retrieve Resources activity can retrieve which resources?

- A. XSD, XSLT and XML
- B. WSDL, WSIL, and XSD
- C. JAR, XSD and WSDL
- D. WSDL, WSIL and ZIP

Answer: B

NO.3 What is the purpose of the tokenize function?

- A. to concatenate two strings
- B. extract fields from a string
- C. to map undefined data to a defined data type
- D. to replace a specific character in a string

Answer: B

NO.4 An HTTP Receiver is overloaded and you wish to throttle the number of incoming HTTP requests. What are two ways to accomplish this task? (Choose two.)

- A. use the bw.plugin.http.server.minProcessors property
- B. set FlowLimit on the entire engine
- C. use the bw.plugin.http.server.maxProcessors property
- D. set FlowLimit for the particular process

Answer: C,D

NO.5 How can you remove all deployed process files from a domain before using it for testing?

- A. manually delete deployed files and clean the OS registry
- B. use the Administrator undeploy the process and delete the files
- C. uninstall and reinstall the Administrator
- D. use the Domain Utility to undeploy the application

Answer: B

NO.6 When a transition is created, which condition type is used by default?

- A. Success with Condition
- B. Error
- C. Otherwise
- D. Success if No Matching Condition
- E. Success

Answer: E

NO.7 Process A has a Timer. Process B has a JMS Queue Receiver. Process C has a JMS Topic Subscriber. These processes are to be deployed on two machines and configured to operate in fault-tolerant and load-balanced mode. Which two steps should you take to achieve this configuration? (Choose two.)

- A. bundle the Timer and the JMS Queue Receiver in one EAR file and deploy it in fault-tolerant mode
- B. bundle the JMS Topic Subscriber and Timer in one EAR file and deploy it in fault-tolerant mode
- C. put the JMS Queue Receiver in its own EAR and deploy it twice
- D. bundle the two JMS-based starters in one EAR file and deploy it twice
- E. put the Timer in its own EAR and deploy it in fault-tolerant mode
- F. put the JMS Topic Subscriber in its own EAR file and deploy it twice


Answer: B,C

NO.8 A process must handle over one hundred thousand records in a file, one at a time. Then a service must return each record as either found or not found. Lastly, the process must record how many records were found and not found. Which type of variable is most appropriate for this implementation?

- A. Job Shared Variable
- B. Global Variable
- C. Process Variable
- D. Shared Variable

Answer: C

NO.9 Click the Exhibit button.



Which activity will the process engine transfer to if the PollReturnedStock activity gets a return message first?

- A. CancelOrder
- B. ProcessOrder

- C. Timeout
- D. IncomingOrder

Answer: B

NO.10 For a Java class specified in an XML to Java Activity, which two characteristics are required?
(Choose two.)

- A. It must be serializable.
- B. It must implement Runnable Interface.
- C. It must have a public default constructor.
- D. It must have public methods for retrieving all data members.

Answer: A,C